

# AUTOMATIC BELT WHEEL CAPPER



## AUTOMATIC BELT WHEEL CAPPING MACHINE Model BWC

- NO-TOOLS changeover
- Adjusts easily for more cap and bottle sizes than other belt wheel cappers
- Handles from vials to gallons - balloon plastic, rigid plastic, glass or metal
- Equipped with 6 capping spindles for production rates to 200 cpm
- Gripper belt cassettes are preset for each bottle allowing changeover in seconds
- Cap tightening mechanism in full view during operation
- Optional vibratory or centrifugal cap feeders
- Adjustable cap chute handles most capping needs
- Capable of handling cap diameters from 0.39" up to 6"
- Range of container sizes from 0.5" wide up to 6.25" width
- Container height range from 1" up to 13" for standard factory set-up (special ranges can be supplied)
- The front panel has clutch controls with gauges in order to precisely set the torque required.
- The control system includes a PLC based "HMI" touch screen display. All capper functions, e.g. start, stop, speed of gripper belts, and tightening wheels are controlled with this display.



Advanced touchscreen  
Human-Machine Interface  
with operating parameter  
recipe recall

# CAP THE WIDEST RANGE OF CAPS ON THE FILAMATIC® BELT WHEEL CAPPING MACHINE



Cap Stabilizer adjusts to handle up to 3-1/2" Trigger Cap



**NO-TOOLS  
CHANGEOVER**



Changeover from gallons to ounce size bottles in seconds using PREASSEMBLED / PREADJUSTED Gripper Belt Cassettes.



Spacing between Gripper Belts and Capping Wheels adjusts to handle from 0" to 6" shoulder height

More applications than any other belt wheel capper. Even cap balloon type containers with the standard range model.  
*Optional extended ranges to accomodate most package designs.*



Easily cap soft sided balloon type bottles



*Specialists in Liquid Filling Systems*

**National Instrument, LLC**  
4119 Fordleigh Road • Baltimore, Maryland 21215, USA  
800.526.1301 • 410.764.0900 • Fax: 410-764-7719  
www.filamatic.com info@filamatic.com

©2005 National Instrument, LLC